



GRFX-69C-CAM

Dakota Digital GRFX Instrument Installation
For 1969 Chevrolet Camaro

Your new GRFX-69C-CAM kit includes:

GRFX Displays




Universal Sender Pack




Foam Tape



Installation Manuals



Control Box




36" Main Harness

2x 10-32 x 1" Screws w/ Nylon Washers



2x 10-32 x 1.5" Screws w/ Nylon Shoulder Washers



Interconnect Harness




Installation


1. Remove the clear lenses, light bulbs, indicator light panels, and gauge internals; they are held into the housing with nuts from the back side. It may be possible to access fasteners with the dash carrier installed; removing the entire assembly may not be necessary.



2. Cut the supplied **Foam Tape** into six two-inch strips. Install these foam strips on the top and sides of each opening, about half an inch down from the face of the housing. This foam provides a cushion for the new GRFX displays to ensure a tight, rattle-free fit.



Foam Tape




RCA Video Input

Interconnect
Harness

3. Connect one end of the provided **Interconnect Harness** to the new GRFX display with the switch knob. If desired, a backup camera can also be connected using the available RCA input.

4. Route the open ends of the interconnect harness (and RCA cable, if desired) through the right-side opening shown below. Use the two provided **10-32 x 1.5" Screws with Nylon Shoulder Washers** to secure the GRFX display to the housing. Tighten with a 1/8" Allen wrench.



5. To install the left-side display, route the far open end of the interconnect harness back through the indicator light opening on the left side of the gauge carrier and connect to the back of the GRFX display. Use the two provided **10-32 x 1" Screws with Flat Nylon Washers** to secure the assembly.



6. Connect the provided **36" Main Harness** to the open middle connector of the interconnect harness. Carefully route the opposite end of the main harness to the control box mounting location.



7. Re-install the gauge carrier into the vehicle if removed. Refer to the main GRFX manual for wiring instructions to complete the GRFX installation.



⚠️WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



4510 W. 61st St. North
Sioux Falls, SD 57107
www.dakotadigital.com
dakotasupport@dakotadigital.com

Phone (605) 332-6513
Fax (605) 339-4106

© Copyright 2024 - Dakota Digital