




RTX-86J-WAG

Dakota Digital RTX Instrument Installation
For 1986-'91 Jeep Grand Wagoneer
1986-'88 Jeep J-Trucks

Your new RTX-86J-WAG kit includes:

RTX Display



Universal Sender Pack



Buzzer



Installation Manuals



Main Harness

Switch



Control Box

Installation

1. Remove the stock dash trim panel. Retain all hardware for reassembly.




2. Remove the four (4) screws that mount the stock gauge cluster to the dash and remove the gauge cluster. Retain the hardware for reassembly.



3. Connect the provided main and optional buzzer harnesses to the rear of the RTX system, routing the opposite ends carefully through the dash to their desired locations.



4. Mount the RTX system to the dash using the stock mounting screws.



5. Re-install the dash trim panel the using factory hardware. Refer to the main manual to complete the RTX installation.



⚠️WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



4510 W. 61st St. North
Sioux Falls, SD 57107
www.dakotadigital.com
dakotasupport@dakotadigital.com

Phone (605) 332-6513
Fax (605) 339-4106

© Copyright 2023 - Dakota Digital